

REQUEST FOR QUOTATION

REFERENCE NO. MMD-P-60-2022

We are inviting all interested suppliers to submit their best quotation for the **PROCUREMENT OF ONE (1) UNIT PRINTER.**

Specification	Qty.	Unit	Estimated Unit Cost	Estimated Total Cost
<p>Color Laser Printer (Multifunction)</p> <p>Specification:</p> <p>FUNCTION</p> <ul style="list-style-type: none">• Print, Scan, Copy, Fax <p>PRINTER TYPE</p> <ul style="list-style-type: none">• Color LED Printer <p>PRODUCT DIMENSIONS</p> <ul style="list-style-type: none">• 410 mm x 509 mm x 414 mm <p>PRINT SPEED</p> <ul style="list-style-type: none">• Up to 24/25 ppm (A4/LTR) <p>PAPER SIZE</p> <ul style="list-style-type: none">• A4, Letter, A5, (Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal <p>MAXIMUM PAPER CAPACITY</p> <ul style="list-style-type: none">• Max. 250 sheets (80 gsm) <p>PRINT RESOLUTION</p> <ul style="list-style-type: none">• 600 x 600 dpi, 2,400 dpi (600 x 2400) quality) <p>2-SIDED-PAPER SIZE</p> <ul style="list-style-type: none">• A4 <p>Print Media</p> <p>PAPERINPUT-PAPER TRAY # 1 – MAXIMUM PAPER CAPACITY</p> <ul style="list-style-type: none">• Max. 250 sheets, 80 gsm plain paper <p>PAPER INPUT-MULTI-PURPOSE TRAY</p> <ul style="list-style-type: none">• 60 to 163g/m2 <p>PAPER INPUT-MULTI-PURPOSE TRAY – MAXIMUM PAPER CAPACITY</p> <ul style="list-style-type: none">• Max. 30 sheets <p>ADF INPUT PAPER TRAY MAXIMUM PAPER CAPACITY</p> <ul style="list-style-type: none">• Max. 50 pages <p>PAPER OUTPUT</p> <ul style="list-style-type: none">• Max. 150 sheets Face Down <p>Copy COLOUR</p> <ul style="list-style-type: none">• Yes <p>Monochrome</p> <ul style="list-style-type: none">• Yes <p>Multiple Copies</p> <ul style="list-style-type: none">• Stack/sorts up to 99 pages <p>ENLARGE/REDUCE</p> <ul style="list-style-type: none">• 25% TO 400% (IN INCREMENTS OF 1%) <p>RESOLUTION</p> <ul style="list-style-type: none">• Max. 600 dpi x 600 dpi <p>2-SIDED-PAPER SIZE</p> <ul style="list-style-type: none">• A4 <p>Connectivity</p> <p>USB</p> <ul style="list-style-type: none">• USB 2.0 <p>LAN</p> <ul style="list-style-type: none">• Yes (10Base-T/100Base-TX) <p>WIRELESS LAN</p>	1	unit		₱ 40,000.00

<ul style="list-style-type: none"> • IEEE 802.11b/g/n • IEEE 802.11g/n (Wi-Fi Direct™) NFC <ul style="list-style-type: none"> • Yes (Link to Solution Center/iPrint&Scan/Easy WLAN setting) Scan COLOUR SCANNING <ul style="list-style-type: none"> • Yes MONOCHROME <ul style="list-style-type: none"> • Yes COLOUR DEPTH-INPUT <ul style="list-style-type: none"> • 48-bit colour processing COLOUR DEPTH – OUT <ul style="list-style-type: none"> • 24-bit colour processing GREYSCALE-OUTPUT <ul style="list-style-type: none"> • 8-bit colour processing RESOLUTION-INTERPOLATED <ul style="list-style-type: none"> • Max. 19,200 dpi x 19,200 dpi RESOLUTION-SCANNER GLASS <ul style="list-style-type: none"> • Max. 1,200 dpi x 2,400 dpi (optical) RESOLUTION-ADF <ul style="list-style-type: none"> • Max. 1,200 x 600 dpi (optical) SCANNING WIDTH -ADF <ul style="list-style-type: none"> • Max. 215.9 mm SCANNING LENGTH-ADF <ul style="list-style-type: none"> • Max. 355.6 mm Fax MODEM SPEED <ul style="list-style-type: none"> • 33,600 bps GREYSCALE- MEMO <ul style="list-style-type: none"> • 8-bit (256 levels) GROUPS <ul style="list-style-type: none"> • Max. 20 groups BROADCASTING <ul style="list-style-type: none"> • 250 locations SPEED DIAL <ul style="list-style-type: none"> • 200 location AUTOMATIC REDIAL <ul style="list-style-type: none"> • Yes MEMORY TRANSMISSION <ul style="list-style-type: none"> • Up to 500 pages (ITU-T Test Chart # 1, Standard Resolution, JBIG) OUT OF PAPER RECEPTION <ul style="list-style-type: none"> • Up to 500 pages (ITU-T Test Chart #1, Standard Resolution, JBIG) Display & Memory DSIPLAY <ul style="list-style-type: none"> • 3.7" TFT colour touchscreen LCD MEMORY CAPACITY <ul style="list-style-type: none"> • 512 MB WEIGHT <ul style="list-style-type: none"> • 24.7 kg Operation POWER SOURCE <ul style="list-style-type: none"> • 220v TO 240v ac 50/60Hz POWER CONSUMPTION-PRINTING <ul style="list-style-type: none"> • Approx. 430W POWER CONSUMPTION - READY <ul style="list-style-type: none"> • Approx. 75W 				
---	--	--	--	--

POWER CONSUMPTION – SLEEP <ul style="list-style-type: none"> • Approx. 10.1W POWER CONSUMPTION – OFF <ul style="list-style-type: none"> • Approx. 0.04W NOISE LEVEL <ul style="list-style-type: none"> • Max. 47 db(A) TEMPERATURE – OPERATING <ul style="list-style-type: none"> • 10°C to 32°C Network WIRELESS NETWORK SECURITY <ul style="list-style-type: none"> • WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES) Wi-Fi Direct supports WPA2-PSK (AES) only. WIRELESS SETUP SUPPORT UTILITY – WPS <ul style="list-style-type: none"> • Yes Supported OS WINDOWS® OPERATING SYSTEM <ul style="list-style-type: none"> • Windows® Server 2008 (Network only), Server 2008 R2 (Network only), 7 SP1, 8, 8.1, Server 2012 (Network only), Server 2012 R2 (Network only), 10, Server 2016 (Network only) MAC OPERATING SYSTEM <ul style="list-style-type: none"> • Mac OS v10.11.6/10.12.x/10.13x 				
Total				₱ 40,000.00

Approved Budget : **₱ 40,000.00 (VAT Inclusive)**
Submission of Quotation and Eligibility Requirements : **03 October 2022**
Mode of Procurement : **Small Value Procurement**

Eligibility Requirements:

1. Valid and current Mayor's Permit (certified true copy)
2. PhilGeps Registration Certificate (certified true copy) or PhilGeps Registration Number
3. 2020 Income Tax Return or Latest Business Tax Return (certified true copy)
4. Omnibus Sworn Statement (Notarized)

Please submit your quotation and eligibility requirements in a sealed envelope at the address stated below.

<p>Name of Bidder:</p> <p>BIDS AND AWARDS COMMITTEE Philippine National Construction Corporation Km15 East Service Road Bicutan Parañaque City Metro Manila Tel. No. 8846-3414 Email Add: bacsecretariat@pncc.ph Attn: BAC Secretariat</p> <p>Reference Number: MMD-P-60-2022</p>
--

All prices should be VAT inclusive. Further, please indicate in the quotation the following:

1. Terms of Payment
2. Delivery Period



ILIE LIONEL B. GRAMATA

Chairman, Bids and Awards Committee





PhilGEPS

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

[Help](#)

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 9065392

Procuring Entity PHILIPPINE NATIONAL CONSTRUCTION CORPORATION

Title OP Color Laser printer1

Area of Delivery Metro Manila

Solicitation Number:	MMD-P-60-2022	Status	In-Preparation
Trade Agreement:	Others	Associated Components	1
Procurement Mode:	Shopping		
Classification:	Goods		
Category:	Office Equipment		
Estimated Budget for the Contract:	PHP 40,000.00	Bid Supplements	0
Delivery Period:	5 Day/s	Document Request List	0
Client Agency:			
Contact Person:	Yolanda D. Mortel Head Bids and Awards Committee Km 15,,east service road Bicutan,, Parañaque City Metro Manila Philippines 63-063-09176545120 ycmortel@yahoo.com	Date Published	30/09/2022
		Last Updated / Time	29/09/2022 11:42 AM
		Closing Date / Time	10/10/2022 01:00 AM

Description

Color Laser Printer (Multifunction)

Specification:

FUNCTION

- Print, Scan, Copy, Fax

PRINTER TYPE

- Color LED Printer

PRODUCT DIMENSIONS

- 410 mm x 509 mm x 414 mm

PRINT SPEED

- Up to 24/25 ppm (A4/LTR)

PAPER SIZE

- A4, Letter, A5, (Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal

MAXIMUM PAPER CAPACITY

- Max. 250 sheets (80 gsm)

PRINT RESOLUTION

- 600 x 600 dpi, 2,400 dpi (600 x 2400) quality)

2-SIDED-PAPER SIZE

- A4

Print Media

PAPERINPUT-PAPER TRAY # 1 – MAXIMUM PAPER CAPACITY

- Max. 250 sheets, 80 gsm plain paper

PAPER INPUT-MULTI-PURPOSE TRAY

- 60 to 163g/m2

PAPER INPUT-MULTI-PURPOSE TRAY – MAXIMUM PAPER CAPACITY

- Max. 30 sheets

ADF INPUT PAPER TRAY MAXIMUM PAPER CAPACITY

- Max. 50 pages

PAPER OUTPUT

- Max. 150 sheets Face Down

Copy COLOUR

- Yes

Monochrome

- Yes

Multiple Copies

- Stack/sorts up to 99 pages

ENLARGE/REDUCE

- 25% TO 400% (IN INCREMENTS OF 1%)

RESOLUTION

- Max. 600 dpi x 600 dpi

2-SIDED-PAPER SIZE

- A4

Connectivity

USB

- USB 2.0

LAN

- Yes (10Base-T/100Base-TX)

WIRELESS LAN

- IEEE 802.11b/g/n

- IEEE 802.11g/n (Wi-Fi Direct™)

NFC

- Yes (Link to Solution Center/iPrint&Scan/Easy WLAN setting)

Scan

COLOUR SCANNING

- Yes

MONOCHROME

- Yes

COLOUR DEPTH-INPUT

- 48-bit colour processing

COLOUR DEPTH – OUT

- 24-bit colour processing

GREYSCALE-OUTPUT

- 8-bit colour processing

RESOLUTION-INTERPOLATED

- Max. 19,200 dpi x 19,200 dpi

RESOLUTION-SCANNER GLASS

- Max. 1,200 dpi x 2,400 dpi (optical)

RESOLUTION-ADF

- Max. 1,200 x 600 dpi (optical)

SCANNING WIDTH -ADF

- Max. 215.9 mm

SCANNING LENGTH-ADF

- Max. 355.6 mm

Fax

MODEM SPEED

- 33,600 bps

GREYSCALE- MEMO

- 8-bit (256 levels)

GROUPS

- Max. 20 groups

BROADCASTING

- 250locations
- SPEED DIAL
- 200location
- AUTOMATIC REDIAL
- Yes
- MEMORY TRANSMISSION
- Up to 500 pages (ITU-T Test Chart # 1, Standard Resolution, JBIG)
- OUT OF PAPER RECEPTION
- Up to 500 pages (ITU-T Test Chart #1, Standard Resolution, JBIG)
- Display & Memory
- DSIPLAY
- 3.7" TFT colour touchscreen LCD
- MEMORY CAPACITY
- 512 MB
- WEIGHT
- 24.7 kg
- Operation
- POWER SOURCE
- 220v TO 240v ac 50/60Hz
- POWER CONSUMPTION-PRINTING
- Approx. 430W
- POWER CONSUMPTION - READY
- Approx. 75W
- POWER CONSUMPTION - SLEEP
- Approx. 10.1W
- POWER CONSUMPTION - OFF
- Approx. 0.04W
- NOISE LEVEL
- Max. 47 db(A)
- TEMPERATURE - OPERATING
- 10°C to 32°C
- Network
- WIRELESS NETWORK SECURITY
- WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES) Wi-Fi Direct supports WPA2-PSK (AES) only.
- WIRELESS SETUP SUPPORT UTILITY - WPS
- Yes
- Supported OS
- WINDOWS® OPERATING SYSTEM
- Windows® Server 2008 (Network only), Server 2008 R2 (Network only), 7 SP1, 8, 8.1, Server 2012 (Network only), Server 2012 R2 (Network only), 10, Server 2016 (Network only)
- MAC OPERATING SYSTEM
- Mac OS v10.11.6/10.12.x/10.13x 1 unit

Created by Yolanda D. Mortel

Date Created 29/09/2022

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.